

CAPITAL GOLD CORP  
Form 10KSB/A  
March 19, 2007

**SECURITIES AND EXCHANGE COMMISSION**  
**Washington, D.C. 20549**  
**FORM 10-KSB/A**

ANNUAL REPORT PURSUANT TO SECTION 13 OR 15 (d) OF THE  
SECURITIES EXCHANGE ACT OF 1934  
**FOR THE FISCAL YEAR ENDED JULY 31, 2006**

TRANSITION REPORT PURSUANT TO SECTION 13 OR 15 (d) OF THE  
SECURITIES EXCHANGE ACT OF 1934

**Commission File No. 0-13078**

**CAPITAL GOLD CORPORATION**  
(Name of Small business issuer in its charter)

**State of Delaware**  
(State or other jurisdiction of  
Incorporation or organization)

**13-31805030**  
(I.R.S. Employer  
Identification No.)

**76 Beaver Street, 26<sup>th</sup> Floor, New York, New York**  
(Address of principal executive offices)

**10005**  
(Zip Code)

**Issuer's telephone numbering: (212) 344-2785**

Securities registered under Section 12(b) of the Exchange Act: none

Securities registered under Section 12(g) of the Exchange Act: Common Stock, par value \$.0001 per share

Check whether the issuer (1) filed all reports required to be filed by Section 13 or 15(d) of the Exchange Act during the past 12 months (or for such shorter period that the registrant was required to file such reports), and (2) has been subject to such filing requirements for the past 90 days. YES  NO

Check if there is no disclosure of delinquent filers in response to Item 405 of Regulations S-B contained in this form, and no disclosure will be contained, to the best of the registrant's knowledge, in definitive proxy or information statements incorporated by reference in Part III of this Form 10-KSB or any amendment to this Form 10-KSB.

Indicate by check mark whether the registrant is a shell company (as defined in Rule 12b-2 of the Exchange Act).  
Yes  No

State issuer's revenues (consisting solely of interest income and immaterial miscellaneous other income) for its most recent fiscal year. \$183,719.

The aggregate market value of the voting and non-voting common equity held by non-affiliates computed by reference to the average between the closing bid (\$0.31) and asked (\$0.31) price of the issuer's Common Stock as of October 24, 2006, was \$30,569,134 based upon the average between the closing bid and asked price (\$0.31) multiplied by the 98,610,111 shares of the issuer's Common Stock held by non-affiliates. (In computing this number, issuer has assumed all record holders of greater than 5% of the common equity and all directors and officers are affiliates of the issuer.)

The number of shares outstanding of each of the issuer's classes of common equity as of March 14, 2007: 165,629,248.

DOCUMENTS INCORPORATED BY REFERENCE: None.

Transitional Small Business Disclosure Format: Yes  No

---

### Explanatory Note

This amendment on Form 10-KSB/A (the “Form 10-KSB/A”) amends our annual report for the fiscal year ended July 31, 2006 originally filed with the Securities and Exchange Commission (“SEC”) on November 1, 2006 (the “Form 10-KSB”). Primarily, we are filing this amendment to clarify disclosure in the description of our Mexican concessions in Part I, Item 2. Description of Property.

No attempt has been made in this Form 10-KSB/A to modify or update disclosures in the Form 10-KSB, except with regard to the specific subsections mentioned below. This Form 10-KSB/A does not reflect events occurring after the filing of the Form 10-KSB or modify or update any related disclosures, except with regard to the specific subsections mentioned below. Information not affected by the amendment is unchanged and reflects the disclosure made at the time of the filing of the Form 10-KSB with the SEC. Accordingly, this Form 10-KSB/A should be read in conjunction with the Form 10-KSB and our filings made with the SEC subsequent to the filing of the Form 10-KSB, including any amendments to those filings.

In accordance with Rule 12b-15 promulgated under the Securities and Exchange Act of 1934, as amended, the complete texts of Part I, Item 2; and Part III, Item 13 are set forth herein, including those portions of the text that have not been amended from that set forth in the Form 10-KSB. The only changes to the text from the Form 10-KSB are as follows:

#### Part I

##### Item 2. Description of Properties.

The “Work to Date” and “El Chanate Project” subsections have been revised

The “Our Current Plans for the El Chanate Project” subsection has been deleted and replaced with a new subsection, “Current Status of El Chanate.”

#### Part III

##### Item 13. Exhibits.

Updated certifications from our Chief Executive Officer and Chief Financial Officer are attached as Exhibits 31.1, 31.2, 32.1, and 32.2.

**PART I****Item 2. Description of Property****El Chanate Properties - Sonora, Mexico**

Through our wholly-owned subsidiary, Oro de Altar S. de R. L. de C.V. (“Oro”), and our affiliate, Minera Santa Rita S. de R.L. de C.V. (“MSR”), we own 100% of the following 16 mining concessions, all of which are located in the Municipality of Altar, State of Sonora Republic of Mexico.

<b>Concession</b>		
<b>Name</b>	<b>Title No.</b>	<b>Hectares</b>
1 San Jose	200718	96.0000
2 Las Dos Virgen	214874	132.2350
3 Rono I	206408	82.1902
4 Rono 3	214224	197.2180
5 La Cuchilla	211987	143.3481
6 Elsa	212004	2,035.3997
7 Elisa	214223	78.4717
8 Ena	217495	190.0000
9 Eva	212395	416.8963
10 Mirsa	212082	20.5518
11 Olga	212081	60.5890
12 Edna	212355	24.0431
13 La Tira	219624	1.7975
14 La Tira 1	219623	18.6087
15 Los Tres	223634	8.000
16 El Charro	206,404	40.0000
	<b>Total</b>	<b>3,543.3491</b>

At the El Chanate Project, our current planned mining activities, will involve mining on two concessions, San Jose and Las Dos Virgens. We will utilize four other concessions for processing mined ores. In the future, provided we have adequate funding, we plan to explore some or all of these concessions to determine whether or not further activity is warranted.

Surface Property Ownership

Anglo Gold purchased surface property ownership, consisting of 466 Hectares in Altar, Sonora, on January 27, 1998. The ownership was conveyed to our subsidiary, Oro de Altar S.A. de C.V., in 2002. MSR, one of our wholly-owned Mexican affiliates, has a lease on the property for the purpose of mining the Chanate gold deposit. The purchase transaction was recorded as public deed 19,591 granted by Mr. Jose Maria Morera Gonzalez, Notary Public 102 of the Federal District, registered at the Public Registry of Property of Caborca, Sonora, under number 36026, book one, volume 169 of the real estate registry section on May 7, 1998.

General Information and Location

The El Chanate Project is located in the State of Sonora, Mexico, 37 kilometers northeast of the town of Caborca. It is accessible by paved and all weather dirt roads typically traveled by pickup trucks and similar vehicles. Driving time from Caborca is approximately 40 minutes. Access from Caborca to the village of 16 de September is over well maintained National highways. Beyond the 16 de September village, routes to the property are currently over well traveled gravel and sandy desert roads suitable for lightweight vehicles. We acquired rights for a service road to allow immediate access for mine construction activities. This service road access was acquired from the village of 16 de September, and construction of this road is now complete. In addition to this service road, we had negotiated long term access that does not pass through the village of 16 de September. However, an issue arose with regard to whether the land owner from whom we negotiated this right had adequate title to this land. We continue to rely on the existing access through the village of 16 de September.

The project is situated on the Sonora desert in a hot and windy climate, generally devoid of vegetation with the exception of cactus. The terrain is generally flat with immense, shallow basins, scattered rock outcropping and low rocky hills and ridges. The desert floor is covered by shallow, fine sediment, gravel and caliche. The main body of the known surface gold covers and irregularly shaped area of approximately 1,800 feet long by 900 feet wide. Several satellite mineral anomalies exist on surfaces which have not been thoroughly explored. Assays on chip samples taken from trenches at these locations by us indicate the presence of gold mineralization.

The general El Chanate mine area has been mined for gold since the early 19<sup>th</sup> century. A number of old underground workings exist characterized by narrow shafts, to a depth of several tens of feet and connecting drifts and cross cuts. No information exists regarding the amount of gold taken out; however, indications are that mining was conducted on a small scale.

### Geology

The project area is underlain by sedimentary rocks of the Late Jurassic - Early Cretaceous Bisbee Group, and the Late Cretaceous Chanate Group, which locally are overlain by andesites of the Cretaceous El Charro volcanic complex. The sedimentary strata are locally intruded by andesitic sills and dikes, a microporphyritic latite and by a diorite stock. The sedimentary strata are comprised of mudstone, siltstone, sandstone, conglomerate, shale and limestone. Within the drilled resource area, a predecessor exploration company differentiated two units on the basis of their position relative to the Chanate fault. The upper member is an undifferentiated sequence of sandstone, conglomerate and lesser mudstone that lies above the Chanate fault and it is assigned to the Escalante Formation of the Middle Cretaceous Chanate Group. The lower member is comprised of mudstone with mixed in sandstone lenses and thin limestone interbeds; it lies below the Chanate fault and is assigned to the Arroyo Sasabe Formation of the Lower Cretaceous Bisbee Group. The Arroyo Sasabe formation overlies the Morita Formation of the Bisbee Group. Both the Escalante and Arroyo Sasabe formations are significantly mineralized proximal to the Chanate fault, while the Morita Formation is barren.

The main structural feature of the project area is the Chanate fault, a 7 km long (minimum) northwest-striking, variably southwest-dipping structure that has been interpreted to be a thrust fault. The Chanate fault is overturned (north-dipping) at surface, and is marked by brittle deformation and shearing which has created a pronounced fracture foliation and fissility in the host rocks. In drill holes the fault is often marked the presence of an andesite dike. Reports prepared by a predecessor exploration company describe the fault as consisting of a series of thrust ramps and flats; however, geologic cross sections which we have reviewed but did not prepare may negate this interpretation.

### Alteration/Mineralization

A predecessor exploration company has defined a 600 meter long, 300 meter wide, 120 meter thick zone of alteration that is centered about the Chanate fault. The strata within this zone have been silicified and pyritized to varying degrees. In surface outcrop the mineralized zone is distinguished by its bleached appearance relative to unmineralized rock. The mineralized zone contains only single digit ppm (parts per million) levels of gold. Dense swarms of veinlets form thick, mineralized lenses, within a larger area of sub-economic but anomalous gold concentrations. Drill hole data indicates that the mineralized lenses are sub-horizontal to gently southwest-dipping and are grossly parallel to the Chanate fault. The fault zone itself is also weakly mineralized, although strata in the near hanging wall and footwall are appreciably mineralized.

Work to Date

The El Chanate property has been the site of small scale mining of high grade quartz veins (La Cuchilla mine) during the last century. Modern exploration includes work by Phelps Dodge in the 1980's as part of a copper exploration program. Kennecott conducted geologic mapping and geochemical sampling in 1991 and dropped the property. A Mexican subsidiary of AngloGold explored the property intermittently between 1992 and 1997, and has conducted extensive surface geologic mapping, geochemical sampling, geophysical studies and drilling, including 11,000 meters of trenching, over 14 line-kilometers of induced polarization geophysical surveys, 61 line-kilometers of VLF-magnetometer geophysical surveys, 87 line-kilometers of enzyme leach geochemical surveys and 34,000 meters of R.C. drilling in 190 holes and 1080 meters of diamond drilling in 9 holes. That company also commissioned various consultant studies concerning petrography, fluid inclusions, air photo interpretation and structural analyses, and conducted some metallurgical test work.

In April and May 2002, to confirm previous results obtained by third parties and to provide specifically located metallurgical test samples, we drilled six diamond core holes totaling 1,508 feet into the main mineralized zone at El Chanate. Management believes that the diamond drill results generally confirmed the previous results and, in June 2002 and January 2003, we drilled an additional 45 reverse circulation holes totaling 9,410 feet. This reverse circulation drill program confirmed previous results and also expanded certain mineralized areas. In May 2004, three core holes were drilled for a total of 2,155 feet. The total number of holes is now 256. Of these, 235 are reverse circulation drill holes and 21 are diamond drill holes. Detailed check assays were obtained both for core samples and for reverse drill samples that initially assayed greater than 0.3 grams/tonne. Chemex Labs, Vancouver, Canada, performed both the initial and the check assays, and the check assays supported the initial assay results.

In August 2002, we retained SRK Consulting (a global engineering company) Denver, Colorado, to conduct a scoping engineering study for the El Chanate Project. This study was completed in October 2002 and concluded that the El Chanate Project deserved additional work and that the property contained important gold mineralization. The base case for this study assumed a gold price of \$320.

Following SRK's positive conclusion, in February 2003, we retained M3 Engineering of Tucson, Arizona to begin work on a feasibility study. M3 completed the study in August 2003. Based on 253 drill holes and more than 22,000 gold assays, this study (the "2003 Study") provided details for an open pit gold mine. The 2003 Study indicated that at a gold price of \$325, the initial open pit project contains proven and probable reserves of 358,000 ounces of gold contained within 13.5 million metric tonnes of ore with an average grade of 0.827 grams/tonne. It estimated that the mine could recover approximately 48,000 - 50,000 ounces of gold per year or 248,854 ounces over a five year mine life.

In October 2005, M3 completed an update of the 2003 Study (The "2005 Study"). The 2005 Study includes the following changes from the 2003 Study:

- an increase in the mine life from five to six years,
- an increase in the base gold price from \$325/oz to \$375/oz,
- use of a mining contractor,
- revised mining, processing and support costs,
- stockpiling of low grade material for possible processing in year six, if justified by gold prices at that time,
- a reduced size for the waste rock dump and revised design of reclamation waste dump slopes,

- a revised process of equipment selection and
- evaluation of the newly acquired water well for processing the ore.

In view of a significant rise in the gold price, in June 2006, we commissioned SRK Consulting, Denver, Colorado, to prepare an updated Canadian Securities Administration National Instrument 43-101 compliant technical report on our El Chanate Project. SRK completed this technical report in August 2006 (the "2006 Update"). The 2006 Update provided the following updated information from the 2005 Study:



- an 18% increase in the proven mineral reserve tonnage,
- a 59% increase in the probable mineral reserve tonnage
- an increase in mine life from six to seven years,
- an increase in the base gold price from \$375/oz to \$450/oz and
- Stockpiling of low grade material for possible processing in year seven, if justified by gold prices at that time.

Pursuant to the 2005 Study, as updated by the 2006 Update using a \$450 per ounce gold price, our estimated mine life is now seven years as opposed to five years and the ore reserve is 490,000 ounces of gold present in the ground (up 122,000 ounces or 33%). Of this, we anticipate recovering approximately 332,000 ounces of gold (up 74,000 ounces or 29%) over a seven year life of the mine. The targeted cash cost (which includes mining, processing and on-property general and administrative expenses) per the 2005 Study is \$259 per ounce (up \$29 per ounce). The 2005 Study contains the same mining rate as the 2003 Study of 7,500 metric tonnes per day of ore. It should be noted that, during the preliminary engineering phase of the project it was decided to design the crushing screening and ore stacking system with the capability of processing 10,000 tonnes per day of ore. This will make allowances for any possible increase in production and for operational flexibility. It was found that the major components in the feasibility study would be capable of handling the increase in tonnage. Design changes were made where necessary to accommodate the increased tonnage. The 2005 Study takes into consideration a more modern crushing system than the one contemplated in the 2003 Study. The crushing system referred to in the 2005 Study is a new system, that, we believe will be faster to install and provide more efficient processing capabilities than the used equipment referred to in the 2003 Study. In March 2006, we made a \$250,000 down payment to a US Supplier to acquire a portion of a new crushing system. In October 2006, we paid an additional \$230,000 towards this equipment and we now have purchase orders for all of the new crushing system. Please see "*Current Status of El Chanate*" for updated information as of March 2007.

In addition, the 2005 Study assumes a contractor will mine the ore and haul it to the crushers. In the 2003 Study, we planned to perform these functions. As discussed below, we have retained a mining contractor.

The 2005 Study assumes a mining production rate of 2.6 million tonnes of ore per year or 7,500 tonnes per day. The processing plant will operate 365 days per year. The processing plan for this open pit heap leach gold project calls for crushing the ore to 100% minus 3/8 inch. Carbon columns will be used to recover the gold.

The following Summary is extracted from the 2005 Study, as updated by the 2006 Update. Please note that the reserves as stated are an estimate of what can be economically and legally recovered from the mine and, as such, incorporate losses for dilution and mining recovery. The 489,952 ounces of contained gold represents ounces of gold contained in ore in the ground, and therefore does not reflect losses in the recovery process. Total gold produced is estimated to be 331,560 ounces, or approximately 68% of the contained gold. The gold recovery rate is expected to average approximately 68% for the entire ore body. Individual portions of the ore body may experience varying recovery rates ranging from about 73% to 48%. Oxidized and sandstone ore types may have recoveries of about 73%; fault zone ore type recoveries may be about 64%; and siltstone ore types recoveries may be about 48%.

El Chanate Project  
**Production Summary**

	<u>Metric</u>		<u>U.S.</u>	
<b>Materials</b>				
<b>Reserves</b>				
Proven	11.7 Million Tonnes	@ 0.811 g/t*	12.9 Million Tons	@ 0.024 opt*
Probable	<u>8.2 Million</u> <u>Tonnes</u>	@ <u>0.705</u> g/t*	<u>9.0 Million</u> <u>Tons</u>	@ <u>0.021</u> opt*
Total Reserves	19.9 Million Tonnes	@ 0.767 g/t*	21.9 Million Tons	@ 0.022 opt*
Other Mineralized Materials	0 Million Tonnes		0 Million Tons	
Waste	<u>19.9 Million</u> <u>Tonnes</u>		<u>21.9 Million</u> <u>Tons</u>	
Total	39.7 Million Tonnes		43.8 Million tons	
Contained Gold	15.24 Million grams		489,952 Oz	
<b>Production</b>				
Ore Crushed	2.6 Million Tonnes /Year 7,500 Mt/d*		2.87 Million Tons/Year 8,267 t/d	
Operating Days/Year	365 Days per year		365 Days per year	
Gold Plant Average Recovery	67.7 %		67.7	
Average Annual Production	1.35 Million grams		43,414 Oz	
Total Gold Produced	10.31 Million grams		331,560 Oz	

· “g/t” means grams per metric tonne, “Mt/d means metric tonnes per day and “opt” means ounces per ton.

· The reserve estimates are based on a recovered gold cutoff grade of 0.20 grams per metric tonne as described below.

In the mineral resource block model developed, with blocks 10m (meters) x 10m x 5m high, Measured and Indicated resources (corresponding to Proven and Probable reserves respectively when within the pit design) were classified in accordance with the following scheme:

·

Edgar Filing: CAPITAL GOLD CORP - Form 10KSB/A

Blocks with 4 or more drill holes within a search radius of 40m x 40m x 25m and inside suitable geological zones were classified as Measured (corresponding to Proven);

- Blocks with 3 or more holes within a search radius of 75m x 75m x 50m and inside suitable geological zones were classified as Indicated (corresponding to Probable);
  - Blocks with 1 or 2 holes within a search radius of 75m x 75m x 50m and inside suitable geological zones were classified as Inferred (and which was classed as waste material in the mining reserves estimate);
- Blocks outside the above search radii or outside suitable geological zones were not assigned a classification.

The proven and probable reserve estimates are based on a recovered gold internal cutoff grade of 0.20 grams/tonne. (A constant recovered gold cutoff grade was used for reserves calculation as the head gold grade cutoff varies with the different ore types due to their variable gold recoveries.) The internal (in-pit) cutoff grade was used for reserves reporting.

<b>Cutoff Grade Calculation</b>	<b>Internal Cutoff Grade</b>	<b>Break Even Cutoff Grade</b>
<b>Basic Parameters</b>		
Gold Price	US\$450/oz	US\$450/oz
Gold Recovery	67.7%	67.7%
<b>Operating Costs per Tonne of Ore</b>		
	\$ per Tonne of Ore	\$ per Tonne of Ore
Royalty (4%)	0.115	0.164
Smelting & Refining	0.015	0.021
Mining *	0.070	1.250
Processing	1.680	1.680
Heap Leach Pad Development	0.185	0.185
<u>G&amp;A</u>	<u>0.810</u>	<u>0.810</u>
Total	2.875	4.110
<b>Internal Cutoff Grade</b>		
	Grams per Tonne	Grams per Tonne
Head Grade Cutoff (67.7% recov.)	0.29	0.41
Recovered Gold Grade Cutoff	0.20	0.28

---

\* The calculation of an internal cutoff grade does not include the basic mining costs (which are considered to be sunk costs for material within the designed pit). The \$0.07 per tonne cost included is the incremental (added) cost of hauling ore over hauling waste, and which is included in the calculation.

Pursuant to the 2005 Study, as updated by the 2006 Update, based on the current reserve calculations, the mine life is estimated to be approximately seven years, and at least another year will likely be required to perform required reclamation. The 2005 Study forecasts initial capital costs of \$17.9 million, which includes \$1.7 million of working capital. Annual production is planned at approximately 44,000 to 48,000 ounces per year at an average operating cash cost of \$259 per ounce. We believe that cash costs may decrease as the production rate increases. Total costs (which include cash costs as well as off-property costs such as property taxes, royalties, refining, transportation and insurance costs and exclude financing costs) will vary depending upon the price of gold (due to the nature of underlying payment obligations to the original owner of the property). Total costs are estimated in the 2005 Study to be \$339 per ounce at a gold price of \$417 per ounce (the three year average gold price as of the date of the study). We will be working on measures to attempt to reduce costs going forward. Ore reserves and production rates are based on a gold price of \$375 per ounce, which is the Base Case in the 2005 Study. During 2005, the spot price for gold on the London Exchange has fluctuated between \$411.10 and \$537.50 per ounce. Between January 1, 2006 and October 24, 2006, the spot price for gold on the London Exchange has fluctuated between \$524.75 and \$725.00 per ounce.

Management believes that the capital costs to establish a surface, heap leach mining operation at El Chanate will be between \$17.5 and \$18.5 million. For more information on the capital costs and our funding activities, please see "Part II, Item 6, Management's Discussion and Analysis of Financial Condition and Results of Operations; Liquidity and Capital Resources; Plan of Operations."

Management believes the El Chanate Project will benefit substantially from rising gold prices, which as of October 24, 2006 was around \$575 per ounce. Mineralized material previously below operating cut-off gold grades could possibly become economic if future engineering studies support lowering the cutoff grade due to gold prices substantially above the \$450 per ounce used in the 2006 Update to define the proven and probable reserves mentioned above. We are currently looking at processing techniques that may be capable of supporting higher production rates that may be justified due to rising gold prices. However, the new crushing system will likely have to be modified to handle the additional tonnage required for expanding our production. The crushing system for which we received purchase orders, with certain modifications, is expected to have a capacity beyond the 7,500 metric tons per day that are initially planned.

In February 2005, Metcon Research Inc. of Tucson, Arizona completed gold recovery studies on existing samples at fine grind sizes of 100 mesh, 150 mesh and 200 mesh. These studies were undertaken to determine whether extraction by fine grinding is economical given the increased price of gold. Generally, fine grinding, while more expensive, will achieve higher gold recoveries than the heap leach method recommended in the feasibility study. Metcon found that increasing amounts of gold were recovered at finer grind sizes. However in May 2004, M3, who conducted the feasibility study, reported that at El Chanate, heap leaching remains the most economical and optimal method of extracting gold at current prices.

In May 2004, three core holes were drilled at El Chanate to define gold grades, to obtain metallurgical samples from siltstone hosted ores, and to evaluate previous deep drilling results by Anglo Gold in the Los Dos Virgens Zone. Two of the core holes tested and confirmed the presence of gold in the deep Los Dos Virgens Zone that lies below the level of the planned open pit. This zone was previously identified by Anglo Gold's reverse circulation drilling and, with increasing gold prices, we are analyzing with core drilling the conditions that might allow an enlarged open pit to include ores from the Los Dos Virgens zone. The third core hole was drilled in the main high grade part of the deposit to obtain ore samples for metallurgical column testing from siltstone host rocks.

The latest metallurgical column test studies were completed in February 2005 at Metcon's laboratory in Tucson Arizona to determine the optimal conditions at El Chanate for recovering gold from within siltstone host rocks using heap leach technology. The siltstone drill core samples were tested at crush sizes of 100 percent -3/8 inch and 100 percent -1/4 inch, and these column tests showed recovery rates of 42% and 46% respectively. With rising gold prices, management believes the ore reserves may increase beyond the level currently published in the 2006 Update. Although we are optimistic about the results, there can be no assurance that improved gold recoveries alone will result in an increase in reserves.

In January 2004, we received permits from the Mexican Department of Environmental Affairs and Natural Resources necessary to begin construction of the El Chanate Project. The permits were extended in June 2005. Pursuant to the extensions, once we file a notice that work has commenced, we have one year to prepare the site and construct the mine and seven years to mine and process ores from the site. We filed the notice on June 1, 2006. These permits also cover the operation of a heap-leach gold recovery system. Please see "*Current Status of El Chanate*" for updated information as of March 2007.

In 2005, we acquired 15 year rights of way for the current access road, and we acquired the right to purchase 81 hectares of land near the main highway. We have use of the land; however, our actual purchase of the land is conditioned upon the Ejido (local cooperative) privatizing the land, before the acquisition is finalized. We subsequently purchased an extension of our rights-of-way from 15 to 30 years. We have completed an access road on this land that will provide access for water and power lines. In addition to this road, we acquired a water concession, and our water well is located within a large regional aquifer. The 2005 feasibility study indicates our average life of mine water requirements, for ore processing only, will be about 94.6 million gallons per year (11.4 liters per second). The amount of water we are currently permitted to pump for our operations is approximately 71.3 million gallons per year (8.6 liters per second). Our currently permitted water rights may not be adequate for all of our total project needs

over the entire course of our anticipated mining operations. We are looking into ways to rectify this issue. Please see “*Current Status of El Chanate*” for updated information as of March 2007.

In December 2005, MSR entered into a Mining Contract with a Mexican mining contractor, Sinergia Obras Civiles y Mineras, S.A. de C.V. (“Contractor”) The Mining Contract becomes effective if and when MSR sends the Contractor a formal Notice of Award. Pursuant to the Mining Contract, the contractor had the right to terminate the contract or modify its initial mining rates if it did not receive the formal Notice by June 1, 2006. MSR would not be obligated to proceed with the Mining Contract if those modified rates are unacceptable to it. In August 2006, the Mining Contract was amended to extend MSR’s right to deliver the Notice to November 1, 2006 and, provided that the Notice specifies a date of commencement of the Work (as defined in the contract) not later than February 1, 2007, the mining rates set forth in the Mining Contract will still apply; subject to adjustment for the rate of inflation between September 23, 2005 and the date of commencement of the Work. As consideration for these changes, we paid the Contractor \$200,000 of the requisite advance payment discussed below. On November 1, 2006, MSR delivered the Notice of Award specifying January 25, 2007 as the date of commencement of Work. Please see “*Current Status of El Chanate*” for updated information as of March 2007.

Pursuant to the Mining Contract, the Contractor, using its own equipment, will generally perform all of the mining work (other than crushing) at the El Chanate Project for the life of the mine. Subsequent to delivery of the Notice to Proceed and prior to the commencement of any work by the Contractor, MSR must pay the Contractor a mobilization payment of \$70,000, and must also make an advance payment of \$520,000 to the Contractor (all of which has already been advanced). The advance payments are recoverable by MSR out of 100% of subsequent payments due to the Contractor under the Mining Contract. Pursuant to the Mining Contract, upon termination, the Contractor would be obligated to repay any portion of the advance payment that had not yet been recouped. The Contractor’s mining rates are subject to escalation on an annual basis. This escalation is tied to the percentage escalation in the Contractor’s costs for various parts for its equipment, interest rates and labor. One of the principals of the Contractor is one of the former principals of Grupo Minero FG S.A. de C.V. (“FG”). FG was our former joint venture partner.

In June 2006, MSR retained the contracting services of a Mexican subsidiary of M3 Engineering & Technology Corporation (“M3M”) to provide EPCM (engineering procurement construction management) services. M3M will supervise the construction and integration of the various components necessary to commence production at the El Chanate Project. The contracted services shall not exceed \$1,200,000 and the contract is based on the EPCM services to be provided by M3M. As of October 24, 2006, approximately \$346,000 has been billed pursuant to the contract.

In March 2006, we paid \$250,000 as a down payment for a portion of a new crushing system capable of producing 7,500 metric tons per day of ore. The total cost for all of the crushing equipment (inclusive of site preparation and installation) will be approximately \$4,000,000. In October 2006, we paid an additional \$230,000 towards this equipment and we now have purchase orders for all of the new crushing system. As of the date of this report, we have issued purchase orders for all of the crushing equipment. We also retained Golder Associates, - a geotechnical engineering firm, for the detailed engineering of the leach pads and ponds. The engineering was completed in August 2006 and construction of the leach pads began in September 2006. Please see “*Current Status of El Chanate*” for updated information as of March 2007.

### Current Status of El Chanate

We have made significant progress in the construction and commissioning of our mine at El Chanate. As of March 13, 2007, engineering and procurement is complete, we have obtained all permits required to commence mining operations, the majority of equipment has been delivered and installed and the infrastructure support buildings have been constructed. The current status of the relevant areas is as follows:

Electrical power is supplied from the National grid by CFE (Commission Federal de Electricidad) in Caborca at 34.5 kilo volt-amperes and is converted to 480 volts at seven transformer stations throughout the site. The transmission lines and transformers have been installed and commissioned and approved for use by CFE. An emergency generator has been installed adjacent to the solution ponds to circulate the leach pad solution in the event of power interruptions. An additional substation is being built by the local power company 20 kilometers from the mine in the town of Altar. It will have the capability to increase power to the mine later this year should additional power be required in the event of additional consumption requirements for increased production or seasonal fluctuations.

Process water is supplied from a well owned by MSR, one of our Mexican subsidiaries. The well's casing has been inspected and equipped with a new pump and electrical hardware. The well is located nine kilometers from the mine and can supply water in sufficient quantity to support the mine through a new eight inch diameter steel pipeline. While there are issues about the adequacy of water supply over the entire life of the project, based on the anticipated water consumption for at least the first few years of operation, we believe that we have an allocation to meet our requirements. The capability of acquiring additional water through third party allocation purchase is available, as is the conservation of water through good operational practice. If we need to obtain additional rights, but are unable to procure them our planned operations may be adversely affected. See *"Our currently permitted water rights may not be adequate for all of our total project needs over the entire course of our anticipated mining operations. If we need to obtain additional rights, but are unable to procure them our planned operations may be adversely affected"* in "Part I, Item 1, Description of Business; Risk Factors."

The mine access road is nine kilometers long and is capable of supporting all anticipated traffic. The road connects with a main asphalt road (Route 2) that is maintained by the state highways department. There are two arroyos that cross the mine access road, both of which have concrete crossings to prevent erosion of the road at these locations, giving year round access to the site. The internal access roads have been constructed for the life of the mine.

The mine is supported by a number of infrastructure buildings all of which have been or are being constructed. The completed buildings in use are an explosive and detonator store, a 5,000 sq. ft warehouse, the mine office and the security guardhouse and first aid centre. Buildings due for completion by the end of March 2007 are, the laboratory, lime storage building and a cyanide and carbon storage building. The refinery building is anticipated to be completed by mid April 2007.

The crushing and screening plant consists of three stage crushing and closed circuit screening. All of the equipment is new and has a design capacity of 1,000 tons per hour (tph) for the primary crushing circuit and 400 tph for the balance of the crushing circuit. A 20,000 ton buffer stockpile separates the primary crusher from the rest of the circuit allowing the crushing circuits to operate independently of each other. The crushed ore is stacked on the leach pad by a series of conveyors and a radial stacker. The equipment is new and has been commissioned and is currently stacking ore for over liner production and leaching. Ore is placed on a leach pad that is (HDPE) plastic lined to contain the gold bearing solution and transport it via lined launders (plastic lined earth trenches) to ponds which are double plastic lined. The initial leach pad will consist of four panels, three of which will be lined at this time (the ultimate leach pad will consist of ten panels). These four panels will allow for the stacking of approximately one year of crushed ore. The launder and ponds have been constructed for the mine life. The first two panels are complete and the remainder of the launder and pond construction is scheduled for completion during March 2007. We anticipate that we will begin to apply cyanide solution to the ore by the end of April 2007. We anticipate that gold Dore (bars of semi-purified gold)



production will begin between 45 to 75 days thereafter.

The initial supply of ore to the crushing plant and leach pad is being loaded and delivered by a group of local truckers. Sinergia, the mining contractor, is in the process of mobilizing the mining fleet to commence mining on March 25, 2007. The Sinergia mining fleet is not new, however it has been refurbished at Sinergia's repair facility and at the Caterpillar dealer in Hermosillo. This process has been monitored by us and third party specialists and we believe the equipment will be suitable for mining when required. Sinergia is constructing staff accommodation within an existing Ejido village adjacent to the mine site. On site power, water, and fuel supply has been made available for Sinergia's use as prescribed in the mining contract.

The gold in the cyanide/gold solution (pregnant solution) will be recovered using activated carbon held in tanks. The activated carbon will be transferred on a daily basis to a processing plant (ADR Plant) that, with the use of chemicals, will extract the gold from the pregnant solution. The gold from the solution will be deposited by an electrowinning (electrolysis) process and then dried, mixed with fluxes (substances that reduce the melting point of the material and remove impurities in the metal) and smelted in a furnace to produce gold Dore. The solution that has been stripped of gold will gravitate to the barren solution pond. Cyanide will be added to this and the solution will be pumped to freshly stacked ore. The ADR Plant is not new. It has been refurbished; all of the pumps, valves, piping, instruments and electrical components have been replaced. The pumps and piping associated with the solution ponds are also new. We anticipate that the ADR Plant will be operational and ready for use by mid April 2007.

We have filled all key positions in finance, human resources, operations and mine support (other than a General Manager), and the majority of the remainder of the staff is also in place. Our Chief Operating Officer is acting as our General Manager until a replacement can be found. We are actively searching for a replacement and we do not believe that it will be a problem finding a suitable candidate. We forecast a total staffing complement of between 70 and 80 people. The mine has three towns in close proximity where the staff live. With this local infrastructure, the staff will be bussed to site, eliminating the need for an on site camp. Certain duties such as security and staff transport will be contracted. In the town of Caborca we own a house and rent an office. While we have constructed and are using an on-site office, we will retain an "in town" office for the project life.

We have entered into a supply agreement for cyanide and have ordered consumable supplies such as explosives and carbon. Wear parts and critical spare parts have also been delivered to the mine. A fully equipped laboratory has been constructed at the mine with the capability of monitoring the mine operation and conducting metallurgical test work. We anticipate that the laboratory will be fully functional during April 2007.

During the construction and commissioning process, we have been assisted by a number of suppliers and consultants to ensure that the transition into full production becomes a seamless event. Given the location of the mine, there are many local services available to support the operation. Where we feel it is prudent to retain critical items such as pond and water well pumps, we have done so and we have constructed storage facilities to store in excess of three months supply of reagents should we foresee supply shortages looming.

To support the mine we have purchased a number of vehicles and support equipment that were used during construction. The equipment consists of a 35 ton crane, a water truck, an ambulance, a D4 dozer, a front end loader and a forklift/tool handler. We also have purchased a number of additional equipment such as lighting plants, welders and small tools.

Our acquisition and ownership of the El Chanate Project

In June 2001, we purchased 100% of the issued and outstanding stock of Minera Chanate, S.A. de C.V. from AngloGold North America Inc. and AngloGold (Jerritt Canyon) Corp. Minera Chanate's assets at the time of the closing of the purchase consisted of 106 exploitation and exploration concessions in the States of Sonora, Chihuahua and Guerrero, Mexico. By June of 2002, after property reviews and to minimize tax payments, the 106 had been reduced to 12 concessions. To cover certain non-critical gaps between concessions, three new concessions were located, and the number of concessions is now 16. These concessions are contiguous, totaling approximately 3,544 hectares (8,756 acres or 13.7 square miles). We sometimes refer to these concessions as the El Chanate concessions. Although there are 16 concessions, we only plan to mine two of these concessions at the present time. We sometimes refer to the planned operations on these two concessions as the El Chanate Project. We also own outright 466 hectares (1,151 acres or 1.8 square miles) of surface rights at El Chanate and no third party ownership or leases exist on this fee land or the El Chanate concessions. In the future, assuming adequate funding is available, we plan on conducting exploration activities on some of the other concessions.

Pursuant to the terms of the agreement with Anglo Gold, in December 2001, we made a \$50,000 payment to AngloGold. AngloGold will be entitled to receive the remainder of the purchase price by way of an ongoing percentage of net smelter returns of between 2% and 4% plus a 10% net profits interest (until the total net profits interest payment received by AngloGold equals \$1,000,000). AngloGold's right to a payment of a percentage of net smelter returns and the net profits interest will terminate at such point as they aggregate \$18,018,355. In accordance with the agreement, the foregoing payments are not to be construed as royalty payments. Should the Mexican government or other jurisdiction determine that such payments are royalties, we could be subjected to and would be responsible for any withholding taxes assessed on such payments.

Under the terms of the agreement, we have granted AngloGold the right to designate one of its wholly-owned Mexican subsidiaries to receive a one-time option to purchase 51% of Minera Chanate (or such entity that owns the El Chanate concessions at the time of option exercise). That option is exercisable over a 180 day period commencing at such time as we notify AngloGold that we have made a good faith determination that we have gold-bearing ore deposits on any one of the identified groups of El Chanate concessions, when aggregated with any ore that we have mined, produced and sold from such concessions, of in excess of 2,000,000 troy ounces of contained gold. The exercise price would equal twice our project costs on the properties during the period commencing on December 15, 2000 and ending on the date of such notice. Based on current information available to us, we do not believe a deposit of the size that would trigger these back-in rights is likely to be identified at El Chanate.

In February 2002, MSR, one of our wholly-owned Mexican affiliates, now the leasee of the El Chanate concessions, as discussed below, entered into a joint venture agreement with Grupo Minero FG S.A. de C.V. to explore, evaluate and develop the El Chanate concessions. Grupo Minero FG S.A. de C.V., referred to as FG, is a private Mexican company that owns and operates the La Colorada open-pit gold mine outside of Hermosillo in Sonora, Mexico.

Effective March 31, 2004, the joint venture agreement with FG was terminated. In consideration of FG's contributions to the venture of \$457,455, we issued to FG 2,000,000 restricted shares of our Common Stock valued at \$800,000 and MSR issued to FG a participation certificate entitling FG to receive five percent of the MSR's annual dividends, when declared. The participation certificate also gives FG the right to participate, but not to vote, in the meetings of MSR's Board of Managers, Technical Committee and Partners. In September 2006, we repurchased the participation certificate from FG for \$500,000 with FG retaining a 1% net profits interest in MSR, payable only after a total \$20 million in net profits has been generated from operations at El Chanate. MSR also received a right of first refusal to carry out the works and render construction services required to effectuate the El Chanate Project. This right of first refusal is not applicable where a funding source for the project determines that others should render such works or services.



FG has assigned or otherwise transferred to MSR all permits, licenses, consents and authorizations (collectively, "authorizations") for which FG had obtained in its name in connection with the development of the El Chanate Project to the extent that the authorizations are assignable. To the extent that the authorizations are not assignable or otherwise transferable, FG has given its consent for the authorizations to be cancelled so that they can be re-issued or re-granted in MSR's name. The foregoing has been completed.

During March 2002, prior to the sale of Minera Chanate and pursuant to the FG joint venture agreement, Minera Chanate, in a series of transactions, sold all of its surface land and mining claims to Oro de Altar S. de R. L. de C.V. ("Oro"), another of our wholly-owned subsidiaries. Oro, in turn, leased the foregoing land and mining claims to Minera Santa Rita.

**PART III**

**Item 13. Exhibits.**

**Exhibits**

- 3.1 Certificate of Incorporation of Company.(1)
- 3.2 Amendments to Certificate of Incorporation of Company.(1)(5)
- 3.3 Certificate of Merger (Delaware) (which amends our Certificate of Incorporation)(16)
- 3.4 Amended and Restated By-Laws of Company(17)
- 4.1 Specimen certificate representing our Common Stock.(9)
- 4.2 Form of Warrant for Common Stock of the Company issued in February 2005 private placement.(8)
- 4.3 Form of Warrant for Common Stock of the Company issued to Standard Bank.(10)
- 4.4 Form of Warrant for Common Stock of the Company issued in February and March 2006 private placement.(14)
- 4.5 Rights Agreement, dated as of August 15, 2006, between the Company and American Stock Transfer & Trust Company. The Right Agreement includes the Form of Certificate of Designation of the Series B Common Stock and the Form of Right Certificate. (17)
- 10.1 Mining Claims (1)
- 10.2 Stock Purchase Option Agreement from AngloGold (2)
- 10.3 Letter of Intent with International Northair Mines Ltd. (2)
- 10.4 March 30, 2002 Minera Chanate Stock Purchase and Sale and Security Agreement (Sale by us and Holding of all of the stock of Minera Chanate) (In Spanish).(3)
- 10.5 English summary of March 30, 2002 Minera Chanate Stock Purchase and Sale and Security Agreement.(3)
- 10.6 Agreement between Santa Rita and Grupo Minero FG.(4)
- 10.7 Amendment to Agreement between Santa Rita and Grupo Minero FG.(6)
- 10.8 Termination Agreement between Santa Rita and Grupo Minero FG.(7)
- 10.9 English summary of El Charro agreement. (11)
- 10.10 Plan and agreement of merger (reincorporation). (12)
- 10.11 Contract between MSR and Sinergia Obras Civiles y Mineras, S.A. de C.V.(13)
- 10.12 Amendment to Contract between MSR and Sinergia Obras Civiles y Mineras, S.A. de C.V.

- 10.13 September 2006 Chipman Amended Engagement Agreement.
- 10.14 Employment Agreement with John Brownlie. (18)
- 10.15 June 1, 2006 EPCM agreement between MSR and a Mexican subsidiary of M3 Engineering & Technology Corporation (18)
- 10.16 Credit Agreement dated August 15, 2006 among MSR and Oro, as the borrowers, the Company, as the guarantor, and Standard Bank PLC, as the lender and the offshore account holder. (17)
- 10.17 Employment Agreement with Gifford A. Dieterle.
- 10.18 Employment Agreement with Roger A. Newell.
- 10.19 Employment Agreement with Jack V. Everett.
- 10.20 Employment Agreement with Jeffrey W. Pritchard.
- 21 Subsidiaries of the Registrant. (9)

31.1 Certification pursuant to Section 302 of the Sarbanes-Oxley Act of 2002 from the Company's Chief Executive Officer.

31.2 Certification pursuant to Section 302 of the Sarbanes-Oxley Act of 2002 from the Company's Chief Financial Officer.

32.1 Certification pursuant to Section 906 of the Sarbanes-Oxley Act of 2002 from the Company's Chief Executive Officer.

32.2 Certification pursuant to Section 906 of the Sarbanes-Oxley Act of 2002 from the Company's Chief Financial Officer.

- 
- (1) Previously filed as an exhibit to the Company's Registration Statement on Form S-18 (SEC File No. 2-86160-NY) filed on or about November 10, 1983, and incorporated herein by this reference.
  - (2) Previously filed as an exhibit to the Company's Quarterly Report on Form 10-QSB for the quarter ended January 31, 2001 filed with the Commission on or about March 16, 2001, and incorporated herein by this reference.
  - (3) Previously filed as an exhibit to the Company's Quarterly Report on Form 10-QSB for the quarter ended April 30, 2002 filed with the Commission on or about June 20, 2002, and incorporated herein by this reference.
  - (4) Previously filed as an exhibit to the Company's Quarterly Report on Form 10-QSB for the quarter ended January 31, 2002 filed with the Commission on or about March 25, 2002, and incorporated herein by this reference.
  - (5) Previously filed as an exhibit to the Company's Current Report on Form 8-K filed with the Commission on or about April 11, 2003, and incorporated herein by this reference.
  - (6) Previously filed as an exhibit to the Company's Current Report on Form 8-K filed with the Commission on or about January 22, 2004, and incorporated herein by this reference.
  - (7) Previously filed as an exhibit to the Company's Current Report on Form 8-K filed with the Commission on or about April 12, 2004, and incorporated herein by this reference.
  - (8) Previously filed as an exhibit to the Company's Current Report on Form 8-K filed with the Commission on or about February 10, 2005, and incorporated herein by this reference.
  - (9) Previously filed as an exhibit to the Company's Registration Statement on Form SB-2 (SEC file no. 333-123216) filed with the Commission on or about March 9, 2005, and incorporated herein by this reference.
  - (10) Previously filed as an exhibit to Amendment No. 1 to the Company's Registration Statement on Form SB-2 (SEC file no. 333-123216) filed with the Commission on or about June 27, 2005, and incorporated herein by this reference.



- (11) Previously filed as an exhibit to the Company's Quarterly Report on Form 10-QSB for the quarter ended April 30, 2005 filed with the Commission on or about June 20, 2005, and incorporated herein by this reference.
- (12) Previously filed as Appendix B to the Company's Definitive 14A Proxy Statement filed with the Commission on or about October 7, 2005, and incorporated herein by this reference.
- (13) Previously filed as an exhibit to the Company's Quarterly Report on Form 10-QSB for the quarter ended October 31, 2005 filed with the Commission on or about December 15, 2005, and incorporated herein by this reference.
- (14) Previously filed as an exhibit to the Company's Current Report on Form 8-K filed with the Commission on or about February 16, 2006, and incorporated herein by this reference.
- (15) Previously filed as an exhibit to the Company's Quarterly Report on Form 10-QSB for the quarter ended January 31, 2006 filed with the Commission on or about March 22, 2006, and incorporated herein by this reference.
- (16) Previously filed as an exhibit to the Company's Registration Statement on Form SB-2 (SEC file no. 333-129939) filed with the Commission on or about November 23, 2005, and incorporated herein by this reference.
- (17) Previously filed as an exhibit to the Company's Current Report on Form 8-K filed with the Commission on or about August 16, 2006, and incorporated herein by this reference.
- (18) Previously filed as an exhibit to the Company's Quarterly Report on Form 10-QSB for the quarter ended April 30, 2006 filed with the Commission on or about June 19, 2006, and incorporated herein by this reference.

Statements contained in this Form 10-KSB as to the contents of any agreement or other document referred to are not complete, and where such agreement or other document is an exhibit to this Report or is included in any forms indicated above, each such statement is deemed to be qualified and amplified in all respects by such provisions.

**SIGNATURES**

Pursuant to the requirements of Section 13 or 15(d) of the Securities Exchange Act of 1934, the registrant has duly caused this amendment to its Form 10-KSB annual report to be signed on its behalf by the undersigned, thereunto duly authorized.

CAPITAL GOLD CORPORATION

Dated: March 16, 2007

By: /s/Gifford A. Dieterle

\_\_\_\_\_  
Gifford A. Dieterle, President

Pursuant to the requirements of the Securities Exchange Act of 1934, this amendment to Form 10-KSB annual report has been signed below by the following persons on behalf of the registrant and in the capacities and on the dates indicated.

SIGNATURES	TITLE	DATE
/s/ Gifford A. Dieterle Gifford A. Dieterle	President, Treasurer, and Chairman of the Board of Directors	March 16, 2007
/s/ Christopher M. Chipman Christopher M. Chipman	Principal Financial and Accounting Officer	March 16, 2007
/s/ John Brownlie John Brownlie	Director	March 17, 2007
/s/ Jack V. Everett Jack V. Everett	Director	March 15, 2007
Robert N. Roningen	Director	March __, 2007
/s/ Roger A. Newell Roger A. Newell	Director	March 15, 2007
/s/ Jeffrey W. Pritchard	Director	March 15, 2007

Jeffrey W. Pritchard

/s/ Ian A. Shaw      Director      March 17,  
2007

Ian A. Shaw

/s/ John Postle      Director      March 16,  
2007

John Postle

Director      March \_\_,  
2007

Mark T. Nesbitt